Application No.: 10/589,198 Docket No.: 13798.005.00

## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application.

## **Listing of Claims:**

- 1. (Currently Amended) A method [[of]] <u>for</u> editing multimedia pages on a terminal, wherein a server supplies one or more terminals with at least a part of said multimedia pages in the form of object arrangement instructions for objects in a multimedia page to be generated, <u>comprising</u>: <u>eharacterized in that the method comprises</u>:
- a) at least a preliminary step during which the transmitting, from the server, transmits data relating to at least one object to be arranged in a multimedia page to be generated, with an instruction to store said data, identified by a link, in a terminal memory[[,]]; and
- b) and at least a main step during which the subsequently transmitting, from the server, transmits a descriptive file containing said link, to edit, on the terminal, said object in at least one multimedia page being generated, by reading the data stored in the terminal memory.
- 2. (Currently Amended) The method as claimed in claim 1, characterized in that wherein the server transmits said data and the store instruction to the terminal in at least one data packet.
- 3. (Currently Amended) The method as claimed in one of claims claim 1 and 2, wherein the storage in the terminal memory is temporary.
- 4. (Currently Amended) The method as claimed in claim 3, <del>characterized in that</del> wherein said instruction includes a timer parameter of predetermined value defining an expiry date, counted from its receipt on the terminal.
- 5. (Currently Amended) The method as claimed in one of the preceding claims claim 1, characterized in that wherein said instruction is [[of]] a "cache" type instruction between the server and the terminal, with a memory area of the terminal allocated to store the data associated

Application No.: 10/589,198 Docket No.: 13798.005.00

with said instruction, in order to speed up a subsequent, repeated execution of <u>transmitting said</u> <u>descriptive file</u> the step b) for the same object.

- 6. (Currently Amended) The method as claimed in one of the preceding claims claim 1, characterized in that wherein the store instruction includes information relating to a number of data items that the terminal must store in memory.
- 7. (Currently Amended) The method as claimed in one of the preceding claims claim 1, eharacterized in that wherein said descriptive file contains a script including one or more links in the form of URL requests.
- 8. (Currently Amended) The method as claimed in one of the preceding claims claim 1, characterized in that wherein said store instruction is implemented in the form of a command corresponding to a low-level function.
- 9. (Currently Amended) The method as claimed in one of the preceding claims claim 1, characterized in that wherein the terminal is a mobile terminal arranged to cooperate with a cellular network.
- 10. (Currently Amended) The method as claimed in one of the preceding claims claim 1, characterized in that wherein said object is a graphic-type object comprising at least one of the following elements:
- [[-]] an image,
- [[-]] a sequence of images,
- [[-]] a sequence of 2D synthetic images, and
- [[-]] [[and]] a sequence of 3D synthetic images.

Application No.: 10/589,198 Docket No.: 13798.005.00

11. (Currently Amended) A <u>computer-readable medium storing a program product</u> in the form of computer code, <u>characterized in that it includes containing</u> an instruction to store, in a memory of a terminal, data relating to an object that is to be edited, on said terminal, in one or more multimedia pages in which said object is likely to occur.

- 12. (Currently Amended) A <u>server configured to generate a signal comprising a computer code containing, characterized in that the code contains an instruction to store, in a memory of a terminal, data relating to an object that is to be edited, on said terminal, in one or more multimedia pages in which said object is likely to occur.</u>
- 13. (New) A server comprising means for transmitting to at least one terminal a signal comprising a computer code containing an instruction to store, in a memory of the terminal, data relating to an object that is to be edited, on said terminal, in one or more multimedia pages in which said object is likely to occur.